

Final Subdivision Plat Application Delaware County, Ohio

RPC Number <u>33-19.3</u> Sec. <u>3</u> Ph. ____Pt. ____

(for unincorporated areas only)

 FINAL PLATS CANNOT BE SUBMITTED UNLESS A DRAFT VERSION HAS BEEN REVIEWED BY DCRPC and other AGENCIES

 PROJECT
 BRIDI FAM WEST
 (circle one)
 Residential
 Commercial

 TOWNSHIP
 BRIDI
 Commercial
 Commercial
 Commercial

APPLICANT/	Name M/I HONES OF CENTRUL OF HO, LLC	Phone 614-418-2000
CONTACT	Address 4131 WORTH AVAINE, SKOTE 310	E-mail JANNASS CASHONES, COM
all the second	City, State, Zip COLUMONS, OHOO, 43219	

PROPERTY	Name SAME AS APPLISCANT	Phone	
OWNER	Address	E-mail	
	City, State, Zip		

SURVEYOR/	Name BILLAT- MATT KERK	Phone 614-775-4131	
ENGINEER	Address 5500 NEW ALBANT ROAD	E-mail MKORKOFAHT COM	
	City, State, Zip COLUNDUS, OHDO, 43054		

DETAILS	Total Lots 39	Buildable lots 30	
	Total Acreage 19.951	Open Space Acreage 5. 696	

	Date the Preliminary Plan was approved by RPC (required):		
	Date of Draft Plat Review by RPC staff (required):		
	Date of Final Engineering Approval by DCEO (required):		
SUBMISSION	1 (one) Plat <u>signed</u> by subdivider and lien holder, appropriate Zoning, Del-Co, and Health, delivered to the RPC by the deadline.		
REQUIREMENTS	1 reduced copy of the Final Plat at 11" x 17".		
(Sub. Regs. Section 205.01)	PDF of plat, on media or preferably e-mailed to smatlack@co.delaware.oh.us		
	For plats including a CAD - 1 copy of CAD Maintenance Agreement		
	Fee - \$500 base, then \$110 per build lot, CADs require additional fees; For commercial and multi-family - \$500 base, then \$110 per acre; DCRPC will collect a \$3.00 per buildable lot fee for the Commissioners (Refer to Fee Schedule) \$ 4500.000		

Matthers. Rich

Owner (or agent for owner) and Date

30 50 24

Delaware County Regional Planning Commission, 1610 State Route 521, P.O. Box 8006 Delaware, OH 43015 (740) 833-2260

\$4681.-

Situated in the State of Ohio, County of Delaware, Township of Berlin, in Farm Lot 15, Quarter Township 2, Township 4, Range 18, United States Military Lands, containing 19.851 acres of land, more or less, said 19.851 acres being comprised of a part of each of those tracts of land conveyed to M/I HOMES OF CENTRAL OHIO, LLC by deeds of record in Official Record 1974, Page 2607, Official Record 2038, Page 2620, and Official Record 2099, Page 546, Recorder's Office, Delaware County, Ohio.

The undersigned, M/I HOMES OF CENTRAL OHIO, LLC, an Ohio limited liability company, by TIMOTHY C. HALL, Area President, owner of the land platted herein, duly authorized in the premises, does hereby certify that this plat correctly represents its "BERLIN FARM WEST SECTION 3", a subdivision containing Lots numbered 3675 to 3713, both inclusive, does hereby accept this plat of same and dedicates to public use, as such, all of Berlin Station Road, Charlotte Way, Kenneth Drive, Patricia Ann Way and Stinson Road (3.081 acres of land, more or less) shown hereon and not heretofore dedicated.

Easements are hereby reserved, in, over, and under areas designated on this plat as Utility Easement, Drainage Easement, and Sanitary Easement. Easements designated as Utility Easement and Drainage Easement permit the construction, operation, and maintenance of all public and quasi-public utilities above, beneath, and on the surface of the ground and, where necessary, for the construction, operation, and maintenance of service connections to all adjacent lots and lands and for storm water drainage.

Easements designated as Sanitary Easement shall mean an exclusive sanitary easement over, through, under, within, upon, and across the area described on the plat, together with ingress and egress over reasonable routes across Grantor's tracts that adjoin the easement area when exercising the purposes of this easement, exclusively for construction, operation and maintenance of public and or private sanitary sewers, service connections, manholes, force mains, valves, and other sanitary appurtenances. Sanitary easements may be crossed by other utilities as expressed herein.

Within those areas of land designated Drainage Easement on this plat, an additional easement is hereby reserved for the purpose of constructing, operating, and maintaining major storm water drainage swales and/or other above ground storm water drainage facilities. No above grade structures, dams, or other obstructions to the flow of storm water runoff are permitted within Drainage Easement areas as delineated on this plat. Easement areas shown hereon outside of the platted area are within lands owned by the undersigned and easements are hereby reserved for the uses and purposes expressed herein.

In Witness Whereof, TIMOTHY C. HA DF CENTRAL OHIO, LLC, has hereunto set	LL, JR., Area President of M/I HOMES this hand this and day of LUG. 20-
Signed and Acknowledged In the presence of:	Ν
9-7min	M/I HOMES OF CENTRAL OHO, LLC By
Darbne W. Smith	TIMOTHY C. HALL, JR., Area President

STATE OF OHIO COUNTY OF FRANKLIN ss:

Before me, a Notary Public in and for said State, personally appeared TIMOTHY C. HALL, JR., Area President of said M/I HOMES OF CENTRAL OHIO, LLC, who acknowledged the signing of the foregoing instrument to be his voluntary act and deed and the voluntary act and deed of said M/I HOMES OF CENTRAL OHIO, LLC, for the uses and purposes expressed herein.

Darlene W. Smith interv Public, State of Oh

Any landscape features, such as trees, fences, retaining walls, etc. in drainage easements shall be reviewed by the Delaware Soil and Water Conservation District (DSWCD) and the Delaware County Engineer's Office (DCEO) prior to installation. The DSWCD and DCEO will review the proposed improvements to assure that the improvements will not interfere with the storm water control facilities. No buildings, sheds, decks, pools, or other such structures, or the footers or foundations of any structures or features shall be constructed above or below ground within the limits of any drainage easements unless said structure is approved in writing by the Delaware County Engineer's Office.

No buildings, sheds, decks, pools, or other such structures, or the footers or foundations of any structures or features shall be constructed above or below ground within the limits of the Sanitary Easement unless said structure is approved in writing by the Delaware County Sanitary Engineer.

BERLIN FARM WEST SECTION 3

Approved this <u> </u>	the day of Sept	·., 20 <u>24</u>
Approved this //	1 ⁴ day of <u>Sy</u>	<u>t.,2024</u>
Approved this	day of	_, 20
Approved this	day of	_, 20
Approved this	day of	_, 20

Rights-of-way for public streets and roads herein dedicated to public use are hereby approved this day of , 20 for the County of Delaware, State of Ohio. Street improvements within said dedicated rights-of-way shall not be accepted for public use and/or maintenance unless and until construction is complete and streets are formally accepted as such by Delaware County.

Transferred this ____ day of ____

Filed for record this day of 20 at M. Fee \$

Plat Cabinet

MALI	millin	
Serlin To	wnship Zoning Inspe	ector
	p. 1mp	
Del-Co V	Vater Co., Inc.	
<u> </u>		•
)elaware	County Sanitary Eng	gineer

A A

1, 1

Delaware County Engineer

Director, Delaware County Regional **Planning Commission**

Delaware County Commissioners

Delaware County, Ohio

Recorder, Delaware County, Ohio

41823001002006 41824001056002 41824001057001

Numbers:

Total acreage

Acreage in 37 buildable lots

Acreage in rights-of-way

NOTE "C": Drainage Maintenance Petition Recorded in the Delaware County Commissioner's Journal, Resolution No. 23-279, Journal Date August 11, 2023.

All easements and Reserves that overlap or cover all or portions of a Sanitary Easement shall be subject to the provisions of the Sanitary Easement within the overlap or cover areas. Work to facilitate surface water drainage within the overlap or cover areas is not restricted; however, any proposed new storm sewer pipes, inlets, catch basins, structures, or other storm water appurtenances or infrastructure features subsequent to those which were permitted with the original sanitary sewer improvements shall only be permitted if approved by the governing stormwater authority and the Delaware County Sanitary Engineer.

Slide

Auditor.

For any easement shown on this plat that contains a storm sewer, culvert, over land open ditch flood route, detention basin, retention basin and/or other storm water structure (herein referred to as storm sewer), the storm sewer rights are senior to the rights of any other public or private utility or interest utilizing the easement, except for overlap areas with a Sanitary Easement. Any costs associated with the damage, repair, replacement or relocation of any buried or above ground facility or structure that is necessary to allow the maintenance, repair or replacement of the storm sewer shall be the responsibility of the owner of said utility, facility or structure. When maintenance, repair or replacement of a storm sewer causes the removal of any trees, plantings, landscaping, fence, driveway or any other feature located within the easement, the replacement and cost of said items shall be the responsibility of the owner of the underlying property or homeowner's association if applicable.

No other utility lines, conduits, mains, valves, boxes, pedestals, transformers, or other utility appurtenances are permitted within any Sanitary Easement unless they are approved on the signed sanitary sewer plans, or otherwise approved in writing by the Delaware County Sanitary Engineer, except that the rights granted to Delco Water Company, its successors, and assigns to install, service and maintain residential water services, meter crocks and appurtenances as designated on this plat are not restricted.

Other utility crossings within the Sanitary Easement are only permitted as described herein, unless they are approved on the signed sanitary sewer plans or otherwise approved in writing by the Delaware County Sanitary Engineer. Right angle or near right angle utility crossings ("near right angle" is defined as an angle between eighty (80) degrees and one-hundred (100) degrees) over, across, or under the sanitary sewer line and over, across, under, or through this sanitary easement are not restricted, except that all utility crossings under the sanitary shall be subject to the review and approval of the Delaware County Sanitary Engineer.

Any landscaping features, such as, but not limited to, trees, fences, signs, stackable retaining walls, etc., within the Sanitary Easement shall be reviewed for approval by the Delaware County Sanitary Engineer prior to installation

When maintenance, repair or replacement of public sanitary sewers, manholes, force mains, valves and other public sanitary appurtenances causes the removal of any trees, plantings, landscaping, fence or any other feature located within the Sanitary Easement, with the exception of driveways and pedestrian pathways, the replacement and cost of said items shall be the responsibility of the owner of the underlying property or homeowner's association is applicable.

The addition or removal of any dirt, soil, fill, or other changes to the ground elevation above the sanitary sewer or force main and/or within the Sanitary Easement shall be subject to approval of the Delaware County Sanitary Engineer.

The Delaware County Sanitary Engineer reserves the right to require that all earthwork within the Sanitary Easement be graded to such a level that will, in his or her opinion, not jeopardize the structural integrity of, infringe upon, or limit the County's reasonable access to the sanitary sewer or force

A non-exclusive easement is hereby specifically granted unto Del-Co Water Company Inc., its successors and assigns, for the location of water lines, valves and appurtenances within the rights-of-way hereby dedicated and within areas designated hereon as Utility Easement, Drainage Easement, or Del-Co Water Easement that are located alongside the rights-of-way hereby dedicated. Also granted is the right of Del-Co Water Company Inc., to install service and maintain water meter crocks and appurtenances in said easement areas alongside said rights-of-way. The easement area shall be for the unobstructed use of Del-Co Water Company, Inc. Placement of fences, walls, pillars, trees, gardens, shrubberies, and other surface features is strictly prohibited.

С. З. С.


NOTE "A" - ACREAGE BREAKDOWN:


Acreage in Lots 3712 and 3713 (open space)

19.851 Ac. 5.696 Ac. 11.074 Ac. 3.081 Ac.

NOTE "B" - ACREAGE BREAKDOWN: Berlin Farm West Section 2 is out of the following Delaware County Parcel

> 14.924 Ac. 1.516 Ac. 3.411 Ac.





SURVEY DATA:

BASIS OF BEARINGS:

The bearings shown hereon are based on the Ohio State Plane Coordinate System, North Zone, NAD83 (2011). Said bearings originated from a field traverse which was referenced to said coordinate system by GPS observations and observations of selected CORS base stations in the National Spatial Reference System.

SOURCE OF DATA: The sources of recorded survey data referenced in the plan and text of this plat are the records of the Recorder's Office, Delaware County, Ohio

IRON PINS: Iron pins, where indicated hereon, unless otherwise noted, are to be set and are iron pipes, thirteen sixteenths inch inside diameter, thirty inches long with a plastic plug placed in the top end bearing the initials EMHT

PERMANENT MARKERS: Permanent markers, where indicated hereon, are to be one-inch diameter, thirty-inch long, solid iron pins. Pins are to be set to monument the points indicated and are to be set with the top end flush with the surface of the ground and then capped with an aluminum cap stamped EMHT INC. Once installed, the top of the cap shall be marked (punched) to record the actual location of the point.

SURVEYED & PLATTED



We do hereby certify that we have surveyed the above premises, prepared the attached plat, and that said plat is correct. All dimensions are in feet and decimal parts thereof.


- O = Iron Pin (See Survey Data)
- \bullet = MAG Nail to be set
- (0) = Permanent Marker (See Survey Data)

Motthew a glik Professional Surveyor No. 7865 23 AUG 24 Date



BERLIN FARM WEST SECTION 3

2023098



R-3/PRD
30 feet
12.5 feet per side
25 feet


		CL	IRVE TABLE		
CURVE NO.	DELTA	RADIUS	LENGTH	CHORD BEARING	CHORD DISTANCE
C1	87°33'58"	250.00'	382.08'	S 40°38'17"W	345.96'
C2	90°00'00"	250.00'	392.70'	N 48°08'42" W	353.55'
C3	80°19'04"	220.00'	308.40'	S 46°41'46"W	283.76'
C4	9°40'56"	220.00'	37.18'	S 01°41'46" W	37.13'
C5	13°53'04"	280.00'	67.85'	S 03°47'29" W	67.69'
C6	14°43'54"	280.00'	71.99'	S 18°06'19" W	71.79'
C7	14°44'09"	280.00'	72.01'	S 32°50'20" W	71.81'
C8	14°42'31"	280.00'	71.88'	S 47°33'40" W	71.68'
C9	14°45'06"	280.00'	72.09'	S 62°17'28"W	71.89'
C10	14°45'19"	280.00'	72.11'	S 77°02'41" W	71.91'
C11	90°00'00"	30.00'	47.12'	S 48°08'42" E	42.43'
C12	90°00'00"	30.00'	47.12'	S 41°51'18" W	42.43'
C13	32°06'21"	220.00'	123.28'	S 19°11'52" E	121.67'
C14	40°57'26"	220.00'	157.26'	S 55°43'46" E	153.94'
C15	16°56'12"	220.00'	65.03'	S 84°40'35" E	64.80'
C16	6°39'25"	280.00'	32.53'	S 89°48'59" E	32.51'
C17	14°02'28"	280.00'	68.62'	S 79°28'05" E	68.45'
C18	14°02'28"	280.00'	68.62'	S 65°25'38" E	68.45'
C19	14°02'28"	280.00'	68.62'	S 51°23'09" E	68.45'
C20	14°02'28"	280.00'	68.62'	S 37°20'42" E	68.45'
C21	14°02'28"	280.00'	68.62'	S 23°18'14" E	68.45'
C22	13°08'18"	280.00'	64.21'	S 09°42'51" E	64.07'
C23	8°00'46"	605.00'	84.61'	N 00°51'41" E	84.54'
C24	8°34'53"	605.00'	90.61'	S 19°34'35" W	90.53'
C25	6°55'04"	605.00'	73.05'	S 27°19'34" W	73.00'
C26	8°24'27"	605.00'	88.78'	S 34°59'20" W	88.70'
C27	26°59'44"	605.00'	285.05'	S 52°41'25"W	282.42'
C28	7°02'16"	605.00'	74.31'	S 69°42'25" W	74.27'
C29	13°37'45"	605.00'	143.91'	S 80°02'26"W	143.57'
C30	2°25'58"	250.00'	10.61'	S 85°38'19"W	10.61'
C31	16°32'59"	350.00'	101.10'	N 84°52'12"W	100.75'

Legend

B.L. = Building Line D.E. = Drainage Easement S.E. = Sanitary Easement U.E. = Utility Easement
E.E.1 = Existing 15' D.E. O.R. 2095, P. 1864 E.E.2 = Existing 20' S.E. O.R. 2054, P. 195
E.E.3 = Existing 12' U.E. O.R. 2054, P. 195 E.E.4 = Existing 20' D.E.
0.R. 2054, P. 195 E.E.5 = Existing 15' D.E. 0.R. 2054, P. 195
E.E.6 = Existing 10' D.E. O.R. 2054, P. 195
E.E.7 = Existing 24' U.E. O.R. 2054, P. 195 E.E.8 = Existing 5'
Electric Easement D.B. 303, P. 366 E.E.9 = Existing 12 U.E. O.R. 2095, P. 1864
E.E.10 = Existing D.E. O.R. 2087, P. 113
E.E.11 = Existing D.E. O.R. 2087, P. 108 E.E.12 = Existing 15' U.E. O.R. 2054, P. 195
E.E.13 = Existing 17' D.E. O.R. 2054, P. 195 E.E.14 = Existing 20' U.E. O.R. 2054, P. 195

Line Type Legend

Existing Property Line
Existing R/W Line
— Existing R/W Centerline
Existing Easement Line
Subdivision Boundary Line
Lot Line
R/W Line
R/W Centerline
Easement Line



CURVE TABLE					
CURVE NO.	DELTA	RADIUS	LENGTH	CHORD BEARING	CHORD DISTANCE
C1	87°33'58"	250.00'	382.08'	S 40°38'17"W	345.96'
C2	90°00'00"	250.00'	392.70'	N 48°08'42" W	353.55'
C3	80°19'04"	220.00'	308.40'	S 46°41'46"W	283.76'
C4	9°40'56"	220.00'	37.18'	S 01°41'46" W	37.13'
C5	13°53'04"	280.00'	67.85'	S 03°47'29" W	67.69'
C6	14°43'54"	280.00'	71.99'	S 18°06'19" W	71.79'
C7	14°44'09"	280.00'	72.01'	S 32°50'20" W	71.81'
C8	14°42'31"	280.00'	71.88'	S 47°33'40" W	71.68'
C9	14°45'06"	280.00'	72.09'	S 62°17'28"W	71.89'
C10	14°45'19"	280.00'	72.11'	S 77°02'41" W	71.91'
C11	90°00'00"	30.00'	47.12'	S 48°08'42" E	42.43'
C12	90°00'00"	30.00'	47.12'	S 41°51'18" W	42.43'
C13	32°06'21"	220.00'	123.28'	S 19°11'52" E	121.67'
C14	40°57'26"	220.00'	157.26'	S 55°43'46" E	153.94'
C15	16°56'12"	220.00'	65.03'	S 84°40'35" E	64.80'
C16	6°39'25"	280.00'	32.53'	S 89°48'59" E	32.51'
C17	14°02'28"	280.00'	68.62'	S 79°28'05" E	68.45'
C18	14°02'28"	280.00'	68.62'	S 65°25'38" E	68.45'
C19	14°02'28"	280.00'	68.62'	S 51°23'09" E	68.45'
C20	14°02'28"	280.00'	68.62'	S 37°20'42" E	68.45'
C21	14°02'28"	280.00'	68.62'	S 23°18'14" E	68.45'
C22	13°08'18"	280.00'	64.21'	S 09°42'51" E	64.07'
C23	8°00'46"	605.00'	84.61'	N 00°51'41" E	84.54'
C24	8°34'53"	605.00'	90.61'	S 19°34'35" W	90.53'
C25	6°55'04"	605.00'	73.05'	S 27°19'34" W	73.00'
C26	8°24'27"	605.00'	88.78'	S 34°59'20" W	88.70'
C27	26°59'44"	605.00'	285.05'	S 52°41'25"W	282.42'
C28	7°02'16"	605.00'	74.31'	S 69°42'25" W	74.27'
C29	13°37'45"	605.00'	143.91'	S 80°02'26" W	143.57'
C30	2°25'58"	250.00'	10.61'	S 85°38'19" W	10.61'
C31	16°32'59"	350.00'	101.10'	N 84°52'12"W	100.75'


Legend

Legenu
B.L. = Building Line D.E. = Drainage Easement S.E. = Sanitary Easement U.E. = Utility Easement
E.E.1 = Existing 15' D.E. O.R. 2095, P. 1864 E.E.2 = Existing 20' S.E. O.R. 2054, P. 195
E.E.3 = Existing 12' U.E. O.R. 2054, P. 195 E.E.4 = Existing 20' D.E. O.R. 2054, P. 195 E.E.5 = Existing 15' D.E. O.R. 2054, P. 195 E.E.6 = Existing 10' D.E. O.R. 2054, P. 195 E.E.7 = Existing 24' U.E. O.R. 2054, P. 195 E.E.8 = Existing 5' Electric Easement D.B. 303, P. 366
E.E.9 = Existing 12 U.E. O.R. 2095, P. 1864
E.E.10 = Existing D.E. O.R. 2087, P. 113
E.E.11 = Existing D.E. O.R. 2087, P. 108 E.E.12 = Existing 15' U.E. O.R. 2054, P. 195
E.E.13 = Existing 17' D.E. O.R. 2054, P. 195 E.E.14 = Existing 20' U.E. O.R. 2054, P. 195

Line Type Legend

—— Existing Property Line
— Existing R/W Line
—— Existing R/W Centerline
- — Existing Easement Line
Subdivision Boundary Line
Lot Line
—— R/W Line
—— R/W Centerline
Easement Line

3



B.L. = Building Line D.E. = Drainage Easement S.E. = Sanitary Easement U.E. = Utility Easement
E.E.1 = Existing 15' D.E. O.R. 2095, P. 1864 E.E.2 = Existing 20' S.E. O.R. 2054, P. 195
E.E.3 = Existing 12' U.E. O.R. 2054, P. 195 E.E.4 = Existing 20' D.E. O.R. 2054, P. 195 E.E.5 = Existing 15' D.E. O.R. 2054, P. 195 E.E.6 = Existing 10' D.E. O.R. 2054, P. 195 E.E.7 = Existing 24' U.E. O.R. 2054, P. 195 E.E.8 = Existing 5' Electric Easement D.B. 303, P. 366
E.E.9 = Existing 12 U.E. O.R. 2095, P. 1864
E.E.10 = Existing D.E. O.R. 2087, P. 113
E.E.11 = Existing D.E. O.R. 2087, P. 108 E.E.12 = Existing 15' U.E. O.R. 2054, P. 195
E.E.13 = Existing 17' D.E. O.R. 2054, P. 195 E.E.14 = Existing 20' U.E.

LINE TABLE					
LINE	BEARING	DISTANCE			
L1	S03°08'42"E	8.54'			
L2	N54°13'14"W	25.48'			
L3	S86°51'18"W	40.63'			
L3	S86°51'18"W	40.63'			