

Final Subdivision Plat Application Delaware County, Ohio

RPC !	Numl	oer	17-	1-24	
Sec.	3	_ Ph	A	_ Pt	

PROJECT TOWNSHIP APPLICANT/ CONTACT Name Addre City, S PROPERTY OWNER Name Addre	TS MENDOWS , Sec. 3, Ph. A. Lorenty E OLENTANG FALLS II, LTD. ESS 230 WEST STREET, SURTE 200 State, Zip COLUMBUS, OLDO, 43215	Phone (614 - 882 - 2500) E-mail TANAGO (Promise) Phone Phone	ercial		
TOWNSHIP APPLICANT/ CONTACT Name Addre City, S PROPERTY OWNER Name Addre	ESS 230 WEST STEPPET, SURTE 200 State, Zip COLUMBUS, OHDO, 43215	Phone (14- 382- 2500 E-mail-TARAGO @ DEPOSTYLE CON			
APPLICANT/ CONTACT Name Addre City, S PROPERTY OWNER Name Addre	ess 230 West Street, Surte 200 State, Zip Columbus, Oldo, 43215 SAME AS ABOVE ess	Phone	innstee?		
CONTACT Addre City, S PROPERTY OWNER Addre	ess 230 WEST STREET, SURTE 200 State, Zip COLUMBUS, OHDO, 43215 SAME AS ABOVE ess	Phone	innalos.		
CONTACT Addre City, S PROPERTY OWNER Addre	ess 230 WEST STREET, SURTE 200 State, Zip COLUMBUS, OHDO, 43215 SAME AS ABOVE ess	Phone	เบปราชก์		
PROPERTY OWNER Name	State, Zip COLUMBUS, OHOO, 43215 SAME AS ABOVE ess	Phone	HUNZIDES.		
PROPERTY OWNER Name Addre	ess				
OWNER Addre	ess				
OWNER Addre	ess				
OWNER		E mail			
City. S	State, Zip	C-IIIdii			
		· · · · · · · · · · · · · · · · · · ·			
SURVEYOR/ Name	EMHAT-MATKERK	Phone 614-775-4131			
ENGINEER Addre	ess 5500 NEW ALBLY ROAD	E-mail MYSPKEBUHT, COM			
City, S	State, Zip COLUMBS, Oloo, 43054	7777 - 11175-71			
DETAILS Total I	Lots 40	Buildable lots 37			
Total A	Acreage 19.275	Open Space Acreage 7, 394			
		1,21			
	Date the Preliminary Plan was	approved by RPC (required):			
	Date of Draft Plat Review by RI	² C staff (required):			
	Date of Final Engineering Appr	oval by DCEO (required):			
	1 (one) Plat signed by subdivide	er and lien holder, appropriate Zoning, Del-Co	, and		
SUBMISSION		Health, delivered to the RPC by the deadline. 1 reduced copy of the Final Plat at 11" x 17". PDF of plat, on media or preferably e-mailed to smatlack@co.delaware.oh.us For plats including a CAD - 1 copy of CAD Maintenance Agreement			
REQUIREMENTS	1 reduced copy of the Final Pla				
(Sub. Regs. Section 205.0	.01) PDF of plat, on media or prefer				
	For plats including a CAD - 1 co				
		build lot, CADs require additional fees;			
		ily - \$500 base, then \$110 per acre; buildable lot fee for the Commissioners			
	bear conect a \$5.00 per	(Refer to Fee Schedule) \$468/. O	p		

Delaware County Regional Planning Commission, 1610 State Route 521, P.O. Box 8006 Delaware, OH 43015 (740) 833-2260

Owner (or agent for owner) and Date

HYATTS MEADOWS SECTION 3 PHASE A, LOT 6790, DIVISION 1

Situated in the State of Ohio, County of Delaware, Township of Liberty, in Farm Lot 16, Quarter Township 4, Township 4, Range 19, United States Military Lands, containing 19.275 acres of land, more or less, said 19.275 acres being a resubdivision of Lot 6790 of the subdivision entitled "Hyatts Meadows Section 3 Phase A", of record in Official Record 1984, Page 2413, said Lot 6790 being conveyed to OLENTANGY FALLS II, LTD. by deed of record in Official Record 2117, Page 1937, Recordor's Office, Delaware County, Ohio.

The undersigned, OLENTANGY FALLS II, LTD. an Ohio limited liability company, by RICHARD J. MILLER, Senior Vice President, owner of the lands platted herein, duly authorized in the premises, does hereby certify that this plat correctly represents its "HYATIS MEADOWS SECTION 3 PHASE A, LOT 6790, DIVISION I", a subdivision containing Lots 7191 to 7230, both inclusive, does hereby accept this plat of same and dedicates to public use, as such, all of Alicia Kelton Drive, Fadley Loop East and Green Castle Court shown hereon and not heretofore dedicated.

Easements are hereby reserved, in, over, and under areas designated on this plat as Utility Easement, Drainage Easement and Sanitary Easement. Easements designated as Utility Easement and Drainage Easement permit the construction, operation, and maintenance of all public and quasi-public utilities above, beneath, and on the surface of the ground and, where necessary, for the construction, operation, and maintenance of service connections to all adjacent lots and lands and for storm water drainage.

Easements designated as Sanitary Easement shall mean an exclusive sanitary easement over, through, under, within, upon, and across the area described on the plat, together with ingress and egress over reasonable routes across Grantor's tracts that adjoin the easement area when exercising the purposes of this easement, exclusively for construction, operation and maintenance of public and or private sanitary sewers, service connections, manholes, force mains, valves, and other sanitary appurtenances. Sanitary easements may be crossed by other utilities as expressed herein.

Within those areas of land designated Drainage Easement on this plat, an additional easement is hereby reserved for the purpose of constructing, operating, and maintaining major storm water drainage swales and/or other above ground storm water drainage facilities. No above grade structures, dams, or other obstructions to the flow of storm water runoff are permitted within Drainage Easement areas as delineated on this plat. Easement areas shown hereon outside of the platted area are within lands owned by the undersigned and easements are hereby reserved for the uses and purposes expressed herein.

Within those areas of land designated Drainage Easement on this plat, an additional easement is hereby reserved for the purpose of constructing, operating, and maintaining major storm water drainage swales and/or other above ground storm water drainage facilities, along with granting Delaware County, its successors or assigns the right of ingress and egress from the public right-of-way to the drainage easement as defined above. Pursuant to ORC Section 6137, Delaware County, its successors or assigns, shall take corrective measures or repairs to restore the culvert and/or water course, if necessary, including those actions caused by an emergency situation. The costs associated with theses corrective measures shall be assessed to the owner(s).

In Witness Whereof, RICHARD J. MILLER, Senior Vice President of OLENTANGY FALLS II, LTD., has hereunto set his hand this <a href="https://example.com/html///president-normalization-nor

Signed and Acknowledged

In the presence of:

OLENTANGY FALLS II, LTD.

Ty Guld

RICHARD J. MILLER,

Ano Litus

STATE OF OHIO
COUNTY OF DELAWARE SS:

Before me, a Notary Public in and for said State, personally appeared RICHARD J. MILLER, Senior Vice President of said OLENTANGY FALLS II, LTD., who acknowledged the signing of the foregoing instrument to be his voluntary act and deed and the voluntary act and deed of said OLENTANGY FALLS II, LTD., for the uses and

In Witness Thereof, I have hereunto set my hand and affixed my official seal this 19 and 19 a

My commission expires N/A

Meagan Leacy Natar
Notary Public. State of Ohio



Approved this 15 day of Wud 20 15 or Co., Inc. Approved this 31 st day of Arcuel, 2025 Approved this ____ day of _____, 20___ Delaware County Sanitary Engineer Approved this _____ day of _____, 20___ Delaware County Engineer Approved this ____ day of ____, 20___ Director, Delaware County Regional Rights-of-way for public streets and roads Delaware County Commissioners herein dedicated to public use are hereby approved this 20 day of for the County of Delaware, State of Ohio. Street improvements within said dedicated rights-of-way shall not be accepted for public use and/or maintenance unless and until construction is complete and streets formally accepted as such by Transferred this _____ day of _____, 20____ Auditor, Delaware County, Ohio Filed for record this ___ day of ___ 20__ at ___ M. Fee \$ Recorder, Delaware County, Ohio Plat Cabinet , Slide

All easements and Reserves that overlap or cover all or portions of a Sanitary Easement shall be subject to the provisions of the Sanitary Easement within the overlap or cover areas. Work to facilitate surface water drainage within the overlap or cover areas is not restricted; however, any proposed now storm sewer pipes, inlets, catch basina, structures, or other storm water appurtenances or infrastructure features subsequent to those which were permitted with the original sanitary sewer improvements shall only be permitted if approved by the governing stormwater authority and the Delaware County Sanitary Engineer.

authority and the Delaware County Santary Engineer.

For any easement shown on this plat that contains a storm sewer, culvert, over land open ditch flood route, detention basin, retention basin and/or other storm water structure (herein referred to as storm sewer), the storm sewer rights are senior to the rights of any other public or private utility or interest utilizing the easement, except for overlap areas with a Sanitary Easement. Any costs associated with the damage, repair, replacement or relocation of any buried or above ground facility or structure that is necessary to allow the maintenance, repair or replacement of the storm sewer shall be the responsibility of the owner of said utility, facility or structure. When maintenance, repair or replacement of a storm sewer causes the removal of any trees, plantings, laudscaping, fence, driveway or any other feature located within the easement, the replacement and cost of said items shall be the responsibility of the owner of the underlying property or homeowner's association if applicable.

Any landscape features, such as trees, fences, retaining walls, etc. in drainage easements shall be reviewed by the Delaware Soil and Water Conservation District (DSWCD) and the Delaware County Engineer's Office (DCBO) prior to installation. The DSWCD and DCBO will review the proposed improvements to assure that the improvements will not interfere with the storm water control facilities.

No buildings, sheds, decks, pools, or other such structures, or the footers or foundations of any structures or features shall be constructed above or below ground within the limits of any drainage easements unless said structure is approved in writing by the Delaware County Engineer's

No other utility lines, conduits, mains, valves, boxes, pedestals, transformers, or other utility appurtenances are permitted within any Sanitary Eastment unless they are approved on the signed sanitary sewer plans, or otherwise approved in writing by the Delaware County Sanitary Engineer, except that the rights granted to Deloc Water Company, its successors, and assigns to install, service and maintain residential water services, meter crocks and appurtenances as designated on this plat are not restricted.

Other utility crossings within the Sanitary Easement are only permitted as described herein, unless they are approved on the signed sanitary sewer plans or otherwise approved in writing by the Delaware County Sanitary Engineer. Right angle or near right angle utility crossings ("near right angle" is defined as an angle between eighty (80) degrees and one-hundred (100) degrees) over, across, or under the sanitary sewer line and over, across, under, or through this sanitary essement are not restricted, except that all utility crossings under the sanitary shall be subject to the review and approval of the Delaware County Sanitary Engineer.

No buildings, sheds, decks, pools, or other such structures, or the footers or foundations of any structures or features shall be constructed above or below ground within the limits of the Sanitary Essement unless said structure is approved in writing by the Delaware County Sanitary Engineer.

Any landscaping features, such as, but not limited to, trees, fences, signs, stackable retaining walls, etc., within the Sanitary Easement shall be reviewed for approval by the Delaware County Sanitary Engineer prior to installation.

When maintenance, repair or replacement of public sanitary sewers, manholes, force mains, valves and other public sanitary appurtenances causes the removal of any trees, plantings, landscaping, fence or any other feature located within the Sanitary Easement, with the exception of driveways and pedestrian pathways, the replacement and cost of said items shall be the responsibility of the owner of the underlying property or homeowner's association is applicable.

The addition or removal of any dirt, soil, fill, or other changes to the ground elevation above the samitary sewer or force main and/or within the Sanitary Easement shall be subject to approval of the Delaware County Sanitary Engineer.

The Delaware County Sanitary Engineer reserves the right to require that all earthwork within the Sanitary Easement be graded to such a level that will, in his or her opinion, not jeopardize the structural integrity of, infringe upon, or limit the County's reasonable access to the sanitary sewer or force main.

A non-exclusive easement is hereby specifically granted unto Del-Co Water Company Inc., its successors and assigns, for the location of water lines, valves and appurtenances within the rights-of-way hereby dedicated and within areas designated hereon as Utility Easement, Drainage Easement, or Del-Co Water Easement that are located alongside the rights-of-way hereby dedicated. Also granted is the right of Del-Co Water Company Inc., to install service and maintain water meter crocks and appurtenances in said casement areas alongside said rights-of-way. The easement area shall be for the unobstructed use of Del-Co Water Company, Inc. Placement of fences, walls, pillars, trees, gardens, shrubberies, and other surface features is strictly prohibited.

D.C.R.P.C. CASE No.-17-24

NOTE "A" - ACREAGE BREAKDOWN

 Total acreage
 19.275 Ac.

 Acreage in Lots 7228, 7229 and
 7230, (open space)


 7230, (orage in rights-of-way
 3.132 Ac.

 Acreage in 37 buildable Lots
 8.759 Ac.

NOTE "B" - ACREAGE BREAKDOWN: Hyatts Meadows Section 3 Phase A, Lot 6790, Division 1 is comprised of all of the following Delaware County parcel numbers:

419-440-08-010-000 10.633 Ac 419-440-08-011-000 8.642 Ac

NOTE "C": Drainage Maintenance Petition Recorded in the Delaware County Commissioner's Journal, Resolution No. 21-1213, Journal Date 12/13/2021.



LOCATION MAP AND BACKGROUND DRAWING

NOT TO SCALE

SURVEY DATA:

BASIS OF BEARINGS:

The bearings shown hereon are based on the Ohio State Plane Coordinate System, North Zone, NAD83 (1986). Said bearings originated from a field traverse which was referenced to said coordinate system by GPS observations and observations of selected CORS base stations in the National Spatial Reference System. A bearing of North 86°29'38" West was held for the centerline of Hyatris Road.

SOURCE OF DATA: The sources of recorded survey data referenced in the plan and text of this plat are the records of the Recorder's Office, Delaware County, Ohio

IRON PINS: Iron pins, where indicated hereon, unless otherwise noted, are to be set and are iron pipes, thirteen sixteenths inch inside diameter, thirty inches long with a plastic plug placed in the top end bearing the initials EMHT INC.

PERMANENT MARKERS: Permanent markers, where indicated hereon, are to be one-inch diameter, thirty-inch long, solid iron pins. Pins are to be set to monument the points indicated and are to be set with the top end flush with the surface of the ground and then capped with an aluminum cap stamped EMHT INC. Once installed, the top of the cap shall be marked (punched) to record the actual location of the point.

SURVEYED & PLATTED



We do hereby certify that we have surveyed the above premises, prepared the attached plot, and that said plot is correct. All dimensions are in feet and decimal parts thereof.


- O = Iron Pin (See Survey Data)
- = MAG Nail to be set
- Permanent Marker (See Survey Data)




Motther s. Yerk
Professional Surveyor No. 7865

13 DE < 24

HYATTS MEADOWS SECTION 3 PHASE A, LOT 6790, DIVISION 1 20







— — Existing R/W Line - Existing R/W Centerline Subdivision Boundary Line Lot Line - R/W Centerline

	LINE TABLE	
LINE	BEARING	DISTAN
L1	S79"29"06"E	27.92
L2	S48 12 24 E	32.82
L3	S36*26'54"W	35.79
L4	S41°34'27"W	49.45
L5	539*26'02 * W	54.44
L6	S54'38'06"W	36.42
L7	S84*59'26"W	34.28
LB	N75'54'06"W	44.82
L9	N68'00'16"W	65.77
L10	N73'24'44"W	37.10
L11	S03"18'39"W	47.39
L12	S61'51'55"W	119.6
L13	S78"19"04"W	83.28
L14	N33"19"04"E	11.11
L15	S88'29'32"W	4.90
L16	S72'19'35"W	119.0

NOTE "D": Notice is hereby given to any buyer of the lots delineated upon this plat, that on file with county engineering, building, health and platting authorities are plans indicating the nature and location of various subdivision improvements for the development of said lots showing proposed lot drainage, proposed ground elevation at house and/or lot grading plans. These plans, as approved by the governmental agencies, are considered part of the approval of this subdivision and are to be incorporated into the final plot plan required with the building permit.

RYAN LAWASANI

REALTOR LLC

O.R. 1966, P. 160

NOTE "E": All of Hyatts Meadows Section 3 Phase A. Lot 6790, Division 1 is within Zone X (Area determined to be outside of the 0.2% annual chance flood plain) as designated and delineated on FEMA Flood Insurance Rate Map, Community Panel Numbers 39041C0231M and 39041C0233L, for Delaware County, Ohio and incorporated areas, both with an effective date of December 21, 2023.

NOTE "F": Notice is hereby given that a subsurface drainage system may exist on the site. The system and/or outlet if located on the property must be maintained at all times.

property, rights of way and easement boundaries as of the time of platting. At the request of zoning and planning authorities at the time of platting, this plat shows some of the limitations and requirements of the zoning code in effect on the date of filling this plat for reference only. The limitations and requirements may change from time to time and should be required to determine the them expect militable under the contract of the contra reviewed to determine the then current applicable use and development limitations of the zoning code as adopted by the government authority having jurisdiction. The then applicable zoning code shall control over confliction limitations and requirements that may be shown as on this plat. This note should not be construed as creating plat or subdivision restrictions, private use restrictions, covenants running with the land or title encumbrances of any nature, except to the extent

NOTE "H" - LOTS 7228, 7229 AND 7230: Lots 7228, 7229 and 7230, as designated and delineated hereon, shall be owned and maintained by an association comprised of the owners of the fee simple titles to the lots in Hyatts Meadows subdivisions for the purpose of open space, the maintenance of storm water facilities, and the maintenance of the multi-use paths. All open spaces delineated on this plat shall be accessible to Delaware County, its successors and assigns, for drainage maintenance

NOTE "I" - MINIMUM FRONT, SIDE AND REAR YARD SETBACKS: The following setbacks apply unless noted otherwise

PR 25 feet 6 feet (total 12 feet) 25 feet

724 HYATTS ROAD, LLC

O.R. 1368, P. 2033

NOTE "J": At the time of platting, electric, cable and telephone service providers have not issued information required so that easement areas, in addition to those shown on this plat as deemed necessary by these providers for the installation and maintenance of all of their main line facilities. could conveniently be shown on this plat. Existing recorded easement information desired about Hyatts Meadows Section 3 Phase A, Lot 6790, Division 1, or any part thereof can be acquired by a competent examination of the then current public records, including those in the Delaware County Recorder's

NOTE "K": Drives shall not encroach into any side yard

NOTE "L"- RELEASE OF CERTAIN EASEMENTS: All rights and easements granted to the Board of Commissioners of Delaware County, Ohio of record in Official Record 1962, Page 651, Recorder's Office, Delaware County, Ohio, in, over and under the areas indicated hereon by hatching, are hereby released and rendered null and void. NOTE "M": As required by the Liberty Township Zoning Resolution, no driveway shall be located so that it enters a public road within forty feet of the intersection of the rights-of-ways of any two public roads, as measured from the edge of the right of way to the center of the private driveway

NOTE "N": The "Stream Corridor Protection Zone" shall forever be restricted from development with buildings, structures, and uses and the natural state of said zone shall structures, and uses and me natural state of said 2006 shall remain undisturbed. It is also the intent and purpose of the Stream Corridor Protection Zone to restrict and forbid any activity or use which would as a natural consequence of such, impede or make more difficult the accomplishment of the purpose of which the said zone was created. The Stream Corridor Protection Zone delineated on this plat shall be drainage maintenance purposes

1. No dumping or burning of refuse

2. No hunting or trapping.

Natural resources of the zones shall remain undisturbed and no topsoil, sand, gravel, or rock shall be excavated, removed or graded.

4. Nothing shall be permitted to occur on the premises which would contribute to the erosion of the land and of such dead diseased, noxious, or decayed trees or vegetation which may be required for conservation or

 No private encroachment shall be permitted, such as, but not limited to, planting of flowers, shrubs, garden material, etc., dumping of trash or debris, or the installation of any type of recreation or other facility or No roadway or any facility of any public utility other than existing roadways and public utility facilities or those outlined in the original plan shall be permitted to be constructed or

NOTE "O": No vehicular access to be in effect until such time as the public street right-of-way is extended and dedicated by plat or deed.

B.L. = Building Line D.E. = Drainage Easement U.E. = Utility Easement

E.E.2 = Existing 20' D.E. O.R. 1962, P. 651 E.E.3 = Existing D.E. O.R. 1962, P. 651

E.E.4 = Existing 25' U.E. O.R. 1962, P. 651 E.E.5 = Existing 20' U.E. O.R. 1962, P. 651

E.E.6 = Existing 12' U.E. O.R. 1984, P. 2413

		CU	RVE TABLE		
CURVE NO.	DELTA	RADIUS	LENGTH	CHORD BEARING	CHORD DISTANCE
C1	7'40'40"	250.00'	33.50°	S 89'28'19" W	33.48
C2	23'37'11"	250.00'	103.06"	S 73'49'24" W	102.33
C3	31°17'50"	250.00'	136.56"	S 77"39"44" W	134.87
C4	31"17'50"	250.00'	136.56	S 77"39'44" W	134.87
C5	8'39'40"	500.00*	75.58	S 88"58"49" W	75.51
C6	31*17'50"	250.00*	136.56	S 12°20'16" E	134.87
C7	82"19"20"	250.00'	359.20'	N 45'31'41" W	329.09
CB	13'34'28"	250.00	59.23	N 79"54"07" W	59.09
C9	32*59'23*	250.00'	143.94	N 89"36'35" W	141.96
C10	47'42'03"	128.44'	106.93	S 50°02'42" W	103.87
C11	7'40'07"	220.00'	29.45	S 89"28'35" W	29.42
C12	23'37'43"	220.00'	90.73'	S 73"49'40" W	90.09
C13	89'56'32"	30.00'	47.09'	S 17"02'32" W	42.41
C14	11"14"04"	280.00	54.90	N 22'18'42" W	54.81
C15	13"05'33"	280.00'	63.98'	N 10"08'53" W	63.84
C16	6"54"45"	280.00*	33.78	N 00"08"44" W	33.76
C17	713'01"	530,00°	66.76	S 89"20"21" W	66.71
C18	0"21"48"	530.00°	3.36'	N 86"52"15" W	3.36'
C19	6"31'25"	220.00'	25.05'	S 89*57'03" E	25.04
C20	24'46'26°	220.00'	95.12	N 74"24"01" E	94.39
C21	0"57"46"	280.00	4.70'	S 62"29"41" W	4.70
C22	11'29'19"	280.00'	56.14'	S 68'43'14" W	56.05
C23	8004'37"	30.00	41,93	N 34*25'35" E	38.60
C24	28"53"26"	220.00'	110.93	N 20'03'27" W	109.76
C25	34"11'37"	220.00'	131.29'	N 51°35'58" W	129.35
C26	17'59'34"	220.00'	69.09	N 77'41'34" W	68.80
C27	4*41'00"	280.00'	22.89	S 84°20'51" E	22.88
C28	8*53'28"	280.00	43.45	S 77'33'37" E	43.41
C29	26'03'29"	220.00'	100.06	N 86'08'38" W	99.20
C30	2"17"31"	50.00*	2.00'	S 79"40"52" W	2.00

		RVE TABLE	COI		
CHORD DISTANCE	CHORD BEARING	LENGTH	RADIUS	DELTA	CURVE NO.
61.48	S 40°35'49" W	66.21	50.00'	75*52'35"	C31
131.45	N 68'33'38" E	165.63'	72.00'	131'48'11"	C32
48.87	S 25'41'50" E	49.87	72.00	39*40'53"	C33
48.87	S 13"59'03" W	49,87	72.00'	39*40'53"	C34
49.33	S 53"51'37" W	50.35	72.00'	40"04"15"	C35
1.84	S 74"05"03" W	1.841	280.00'	0*22*38*	C36
63.84	S 80"49"09" W	63.98'	280.00'	13'05'33"	C37
63.84	N 86*05'18" W	63.98'	280.00*	13'05'33"	C38
31.39	N 76"19'42" W	31.41	280.00'	6'25'38"	C39
52.00	S 79"54"07" E	52.12	220.00'	13'34'28"	C40
18.33	N 84'48'49" W	18.33*	280.00'	3'45'03"	C41
83.84	N 76"23"31" W	63.98'	280.00"	13"05'33"	C42
63.84	N 63"17"58" W	63.98'	280.00'	13"05'33"	C43
63.84	N 50°12'24" W	63.98'	280.00*	13'05'33"	C44
63.84	N 37"06'51" W	63.98'	280.00*	13"05"33"	C45
63.84	N 24"01'18" W	63.98	280.00'	13"05'33"	C46
59.68	N 11"21'26" W	59.80*	280.00'	12'14'09"	C47
39.15	S 45'57'51" E	42.65	30.00'	81'26'59"	C48
63.64	N 48'18'39" E	70.69	45.00'	90'00'00"	C49
76.68	S 89"09'45" W	76.75	530.00'	8"17'49"	C50
63.64	S 49"59"10" E	70.69	45.00	90,00,00	C51
61.88	N 11"19'47" W	62.00"	280.00'	12'41'15"	C52
100.89	S 78"29"17" W	101.09*	470,00'	12"19"23"	C53
78.74	N 80'24'34" E	79.00*	280.00*	16'09'57"	C54
79.90	N 48'18'39" E	88.75'	56.50*	90'00'00"	C55
66.55	S 89"09'45" W	66.61	460.00*	8"17"49"	C56
20.50	S 84'32'10" E	20.61	56.50	20'53'59"	C57
64.09	S 39'32'10" E	68.14	56.50'	69"06"01"	C58
36.48	N 09*58'07" W	36.52	210.00'	9"57"54"	C59